



MOBILE CRUSHERS

RBK
International
Indonesia

(Rubbex Conveyors & Engineering)

Level 7-1 Menara Rajawali Jl. DR Anak Agung
Gde Agung, Lot#5.1, MegaKuningan, Jakarta
Selatan.Indonesia. 12950 Ph: (021) 2960 1505
Email: sales@rubbexconveyors.com
Web: www.rubbexconveyors.com



RBX106D Crawler Mobile Jaw Crusher



Specification		WT106D
Feeding Parts	Max. Feeding size(mm)	560
	Feeding height (mm)	4000
	Hopper(mt)	6.5
Vibrating feeder	W×L(mm)	1060*4200
Side belt conveyor	W×L(mm)	650×4000
	Discharge height (mm)	2400
Main Crusher	Model	CJ106
	Feeding opening(mm)	1060×700
	Weight(t)	14.5
	Driving type	Electric 110kw
Main belt	W×Lmm	1000×11000
	Discharge height mm	3600
Power	Driving	Generator
	Engine + generator	Cummins + Stanford
Transportation Dimension	Length mm	15500
	Width mm	3000
	Height mm	3700
	Weight t	51



RBX300D Crawler Mobile Cone Crusher



Specification		WT300D
Feeding parts	Max. Feeding size(mm)	200
	Feeding height (mm)	2700
	Hopper(mt)	6
Feeding Belt	W×L(mm)	1000x6000
Main crusher	Model	HPM300
	Feeding Size(mm)	230
	Weight(t)	15.8
	Driving type	Electric 220kW
Main conveyor belts	W×L(mm)	1000×11500
	Discharge height(mm)	3500
Vibrating screen	Type	One layer vibrating screen
	Screen size(mm)	1500×3000
	Return conveyor belt(mm)	500×9000
	Output conveyor belt (mm)	1200×5500



RBX1083 Crawler Mobile Vibrating Screen



Specification		ST1083D
Feeding parts	Max. Feeding size(mm)	200
	Feeding height (mm)	2800
	Hopper(mt)	5
Feeding belt	W×L(mm)	1200x11000
Vibrating screen	Type	Three layer vibrating screen
	Screen size(mm)	1800*6000
Material BeltConveyor	W×L(mm)	1400x7500
	Stacking height (mm)	4100
Medium and finematerial belt conveyor	W×L(mm)	800x8000
	Stacking height (mm)	4200
Medium materialbelt conveyor	W×L(mm)	800x8000
	Stacking height (mm)	4200
Transfer belt conveyor	W×L(mm)	650x2200
Large material beltconveyor	W×L(mm)	650x7000
	Stacking height (mm)	4200
Working Power	Driving	Generator
	Engine + generator	Cummins + Stanford
Transportation Dimension	Length(mm)	16000
	Width(mm)	3500
	Height(mm)	3800
	Weight(t)	39






Technical Parameters for Machine :

Main Machine Specification


Vibrating Feeder	
Model	1060*4200
Max. feeding (mm)	630
Processing capacity (t/h)	150-400
Motor power (kw)	15
Obliquity of material trough (o)	0--10°
Trough size (mm)	1060*4200



Euro Jaw Crusher

Euro Jaw Crusher	
Model	CJ106
Max. feeding size (mm)	560
Feeding opening size (mm)	1060*700
Processing capacity (t/h)	150-500
Motor power (kw)	110
Discharge size (mm)	70-200
Dimension (mm)	3280*2580*2400
1. The deep V-shaped crushing cavity meets the larger feeding demand and improves the crushing efficiency. 2. High-strength steel toggle plate Light weight, easy to replace, and can bend when overloaded. It avoids the traditional cast iron toggle plate from breaking and falling, which will damage the conveyorbelt. 3. Flywheel counterweight system The careful design of the position of the flywheel counterweight improves the performance of the whole motor balance system. 4. Hook key Applied to the connection between the flywheel and the main shaft, it is easy to disassemble and assemble.	








Cone Crusher

Cone Crusher	
Model	HPM300
Max. feeding size (mm)	190
Crushing cone diameter (mm)	1100
Processing capacity (t/h)	230-445
Motor power (kw)	220
Discharge size (mm)	26
Weight (t)	20
1.Large eccentric distance, high swing frequency and laminated crushing design bring higher output,larger crushing ratio and better grain shape. Positive pressure dustproof system. 2.Using ultra-high alloy manganese steel, it has a long service life, no need for fillers, easy replacementand low use cost. 3.Adopt spiral bevel gear design, five-axis CNC machining center processing and grinding, high bearing capacity, smooth transmission, no noise, longer service life.	



Cone Crusher



Images of Mobile Crusher



Images of Mobile Crusher



Images of Mobile Crusher



Images of Mobile Crusher



THANK YOU

RBK **International** **Indonesia** **(Rubbex Conveyors & Engineering)**

Level 7-1 Menara Rajawali Jl. DR Anak Agung
Gde Agung, Lot#5.1, Mega Kuningan, Jakarta
Selatan. Indonesia. 12950 Ph: (021) 2960 1505
Email: sales@rubbexconveyors.com
Web: www.rubbexconveyors.com

